



## Web

Results 1 - 10 of about 71,300 for compress, spaces, array. (0.41 seconds)

### VBspeed: Compress

... function will **compress** multiple **spaces** within a string down to single **spaces**.

... If sExpression is a zero-length string, **Compress** returns a zero-length ...

[www.xbeat.net/vbspeed/c\\_Compress.htm](http://www.xbeat.net/vbspeed/c_Compress.htm) - 36k - [Cached](#) - [Similar pages](#)

### Glossary

There are a number of color **spaces** used in a wide **array** of applications including

... Most image file formats **compress** the image during the saving process. ...

[www.blackbeltsystems.com/html\\_docs/f\\_glossary.html](http://www.blackbeltsystems.com/html_docs/f_glossary.html) - 21k - [Cached](#) - [Similar pages](#)

### Patent 5325091: Text-compression technique using frequency-ordered ...

Text-compression technique using frequency-ordered **array** of word-number mappers

... The data structures are then used to **compress** the database. ...

[www.freepatentsonline.com/5325091.html](http://www.freepatentsonline.com/5325091.html) - 50k - [Cached](#) - [Similar pages](#)

### EnTabTable CoDecs Function -- Entisoft Tools 2.0 Object Library

"**Compress Spaces To Tabs**" Replaces sequences of space characters which ...

Typical values for the elements of this **array** might be 8, 16, 24, 32, etc. ...

[www.entisoft.com/ESTools/CoDecs\\_EnTabTable.HTML](http://www.entisoft.com/ESTools/CoDecs_EnTabTable.HTML) - 4k - [Cached](#) - [Similar pages](#)

### Co Decs Class -- Entisoft Tools 2.0 Object Library

En Tab Function: "**Compress Spaces To Tabs**" Replaces sequences of space ...

is a tab stop after every character position mentioned within **array** vTabStops. ...

[www.entisoft.com/ESTools/CoDecs.HTML](http://www.entisoft.com/ESTools/CoDecs.HTML) - 7k - [Cached](#) - [Similar pages](#)

### #passwd\_to\_names.nawk #04-MAR-1997, David Mathog, Biology Division ...

All commas encountered in input fields are converted to **spaces** # All (whatever)

... then **compress spaces** # (some may have crept back in) # while(gsub("[ ]", ...

[saf.bio.caltech.edu/pub/software/linux\\_or\\_unix\\_tools/passwd\\_to\\_names.nawk](http://saf.bio.caltech.edu/pub/software/linux_or_unix_tools/passwd_to_names.nawk) - 4k - [Cached](#) - [Similar pages](#)

### Atlas of a Rhesus Lateral Geniculate Nucleus (LGN)

Available in PKZIP or UNIX **Compress** format. LAYERS.DAT (21504000 bytes) is a

three-dimensional **array** mapping laminar morphology. ...

[malpeli.beckman.uiuc.edu/atlas/](http://malpeli.beckman.uiuc.edu/atlas/) - 8k - [Cached](#) - [Similar pages](#)

### Introduction to Bioinformatics: Parsing Questions

The size of which **array** in BlastParser is of interest in picking out only those

... We can **compress** multiple **spaces** to single **spaces** with s/ /, so ...

[www.people.vcu.edu/~elhajj/IntroBioinf/ProblemSets/PS2P.html](http://www.people.vcu.edu/~elhajj/IntroBioinf/ProblemSets/PS2P.html) - 14k - [Cached](#) - [Similar pages](#)

### File 'base/string.tcl' (part of 'Pool\_Base')

Replaces all occurrences of the strings named as keys of the **array** variable

replacements in ... Only **spaces**, tabs and line-endings are considered as spacing. ...

[www.oche.de/~akupries/soft/pool/f\\_base\\_string.tcl.html](http://www.oche.de/~akupries/soft/pool/f_base_string.tcl.html) - 32k - [Cached](#) - [Similar pages](#)

### BrainJar.com: JavaScript Crunchinator

Some scripts will **compress** better than others, depending on how many ... The value

n corresponds to the **array** index where the original string was saved. ...